

Reference: US-CATB25CF15 EAN13: 8057730859790

Product title:

Ready-to-use 25ft String Light with 5 white Sockets, Hook and Plug

Product attributes:

Cable colour: CF10, CF15, CH69, CM02, CM03, CM04, CM05, CM09, CM16, CM17, CM21, CM22, CM27, CZ04, CZ22, CN06, CX08, ECM39, ECC37, CM10

Product image:

Product price:

\$142.10 tax included

Product short description:

String lights cable is a remarkable way to your garden or gazebo. They also work very well indoors for festive occasions. We provide these premium 25ft outdoor lights, ready-to-use in a big range of eye-catching colours and fabrics.

With these vibrant fabrics and colours, you will find everything else you need to easily put together the perfect setting for your social event. This includes a US plug, cable hook, E26 Sockets. The hook allows you to cross the wires or run them parallel to suit your preference and when the summer is over the string light cable kit is easy to unhook, unplug and pack away.

Warning

Bulbs are not included so please decide on your preferred style from the many options available in the appropriate section of our website.



Product description:

Technical data for Cable

- Rectangular flat shaped 2 x 1.5 mm cable, 13.5 x 5.5 mm, compliant with EN 60228/ IEC 60228
- Cable specifications: H05RNH2-F Neoprene covered with fabric
- Nominal Voltage: 300/500 V
- Operating temperature: -40°C/+ 60°C
- No flame propagation: in accordance with EN 60332-1-2/IEC 60332-1
- Referring Regulations: EN 50525-2-82 and IEC 60245

Technical data for Socket

- E26 fitting
- Class II
- 2A
- Maximum power of the light bulb: 15W
- Rate of protection IP44

Technical data for Hook

• Thermoplastic terminal hook with IP44 protection rating ideal for composing a string light on your own.

Technical data for Plug

- 15 amp/125 Volt, non-grounding
- Residential grade, NEMA 1-15R, 2P and 2W
- Rubber devices resist cold, abrasion, grace, oils acids & impact
- CSA & UL listed

Product features:

Material: Thermoplastic

Ferrule: No Fitting: E26 Room: Outdoor

Product gallery:

